

Markdown - Cheatsheet

- [Markdown Cheatsheet](#)

Markdown Cheatsheet

You can use this site to generate the code for you. For example:

```
## Table of Contents

- [Prerequisites](#prerequisites)
- [Create](#create)

---

## Prerequisites

- Stuff
- Things

---

## Create

- More stuff
- More things
```

Resource: <https://stackoverflow.com/questions/11948245/markdown-to-create-pages-and-table-of-contents>

Add line break

Simply add two spaces after the line that you want to break on. Or use `
`

Resource: <https://stackoverflow.com/questions/26626256/how-to-insert-a-line-break-br-in-markdown>

Add horizontal line break

Simply add three hyphens after the line that you want to break on.

Markdown Lint rules in VSCode

Rules can be defined in the settings.json:

```
"markdownlint.config": {
  "MD002": false,
  "MD004": false,
  "MD012": false,
  "MD013": { "code_blocks": false, "line_length": 80 },
  "MD029": false,
  "MD032": false,
  "MD033": false,
  "MD034": false,
  "MD041": false,
  "ignore": ["**/themes/**"]
},
```

Markdown Lint Fixes

MD013 Line length:

```
FILE=path/to/file.md
sed -E 's/(.{80}[^ ]*) /\1\n/g' -i $FILE
```

MD022 Headers should be surrounded by blank lines:

```
FILE=file.md
sed -E -i 's/^(#\+s+)(.*)$/\n\1\n/g' $FILE
```